

Printing date 08/01/2014

Reviewed on 09/29/2020

1 Identification

· Product identifier

· Trade name: Meras 3442

· Product Use: Cooling Water Treatment

· Article number: 3442-7

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Meras Water Solutions

4213 Technology Dr Suite A E3-725

Modesto, CA 96356

USA

Information department:

SDS Coordinator

- (866) 899-9762
- info@meras.com
- Emergency telephone number: ChemTrec (800) 424-9300 (14228)

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carc. 1A H350 May cause cancer.



GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Corrosive

Causes severe burns.



Irritating to respiratory system.

Information concerning particular hazards for human and environment:

The product has to be labeled due to the calculation procedure of international guidelines.

· Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

- · Label elements
- · Labelling according to EU guidelines:

The product has been classified and marked in accordance with directives on hazardous materials. (Contd. on page 2)



Printing date 08/01/2014 Reviewed on 09/29/2020

Trade name: Meras 3442

(Contd. of page 1)

· Code letter and hazard designation of product:



Corrosive

· Hazard-determining components of labeling:

Hydroxyethylidene Diphosphonic Acid Sulfuric Acid zinc sulphate (anhydrous)

· Risk phrases:

Causes severe burns. Irritating to respiratory system.

· Safety phrases:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Wear suitable protective clothing, gloves and eye/face protection.

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

This material and its container must be disposed of as hazardous waste.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2Fire = 0Reactivity = 0

- · Special Hazard COR
- · HMIS-ratings (scale 0 4)



Health = 2 Fire = 0 Reactivity = 0

- · Personal Protection D
- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
7733-02-0	zinc sulphate (anhydrous)	1-5%
2809-21-4	Hydroxyethylidene Diphosphonic Acid	1-5%
7664-93-9	Sulfuric Acid	1-5%

JSA -



Printing date 08/01/2014 Reviewed on 09/29/2020

Trade name: Meras 3442

(Contd. of page 2)

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

 Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires: No special measures required.

(Contd. on page 4)



Printing date 08/01/2014 Reviewed on 09/29/2020

Trade name: Meras 3442

(Contd. of page 3)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

The recommended storage temperature is above 32F, preferably at room temperature (70F)

Store closed containers in a cool, dry, well-ventilated area with acid-resistant floors. Keep out of direct sunlight and away from water, heat and incompatible materials.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

7664-93-9 Sulfuric Acid

PEL Long-term value: 1 mg/m³
REL Long-term value: 1 mg/m³
TLV Long-term value: 0.2* mg/m³
*as thoracic fraction

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)



Reviewed on 09/20/2020 Printing date 08/01/2014

Trade name: Meras 3442

(Contd. of page 4)

• Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Kinematic:

· Solvent content: Organic solvents:



Tightly sealed goggles

Physical and chemical prop	erties			
	Information on basic physical and chemical properties			
· General Information				
· Appearance:				
Form:	Liquid			
Color:	Colorless			
· Odor:	Sweetish			
· Odour threshold:	Not determined.			
· pH-value at 20 °C (68 °F):	0.8			
· Change in condition				
Melting point/Melting range:	Undetermined.			
Boiling point/Boiling range:	100 °C (212 °F)			
· Flash point:	Not applicable.			
· Flammability (solid, gaseous):	Not applicable.			
· Ignition temperature:				
Decomposition temperature:	Not determined.			
· Auto igniting:	Product is not selfigniting.			
· Danger of explosion:	Product does not present an explosion hazard.			
· Explosion limits:				
Lower:	Not determined.			
Upper:	Not determined.			
· Vapor pressure:	Not determined.			
· Density:	Not determined.			
· Relative density	Not determined.			
· Vapor density	Not determined.			
· Evaporation rate	Not determined.			
· Solubility in / Miscibility with				
Water:	Fully miscible.			
Partition coefficient (n-octanol/wa	ater): Not determined.			
· Viscosity:				
Dynamic:	Not determined.			

Not determined.

0.0 %

(Contd. on page 6)



Printing date 09/29/2020 Reviewed on 09/29/2020

Trade name: Meras 3442

(Contd. of page 5)

· Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Strong caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (Internationa	I Agency for Research on Cancer)
7664 02 0 Culturio	\ aid

7664-93-9 Sulfuric Acid

1

· NTP (National Toxicology Program)

7664-93-9 Sulfuric Acid

K

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

(Contd. on page 7)



Printing date 08/01/2014 Reviewed on 09/29/2020

Trade name: Meras 3442

(Contd. of page 6)

Danger to drinking water if even small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, IMDG, IATA	UN1760
UN proper shipping name DOT IMDG, IATA	Corrosive liquids, n.o.s. (Sulfuric acid) CORROSIVE LIQUID, N.O.S. (SULPHURIC ACID)
Transport hazard class(es)	
DOT	
CORROSIVE	O Corrective substances
Class Label	8 Corrosive substances 8
IMDG, IATA	
1 3 1 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
Class	8 Corrosive substances
Label	8
Packing group	
DOT, IMDG, IATA	II



Printing date 08/01/2014 Reviewed on 09/29/2020

Trade name: Meras 3442

(Contd. of page 7)

Special precautions for user
 Warning: Corrosive substances

Danger code (Kemler):
 EMS Number:
 Segregation groups
 Acids

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

· DOT

Quantity limitations
 On passenger aircraft/rail: 1 L

On cargo aircraft only: 30 L

· IMDG

Limited quantities (LQ)Excepted quantities (EQ)Code: E2

Maximum net quantity per inner packaging: 30 ml

UN1760, Corrosive liquids, n.o.s. (Sulfuric acid), 8, II

Maximum net quantity per outer packaging: 500 ml

15 Regulatory information

· UN "Model Regulation":

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

 \cdot Section 355 (extremely hazardous substances):

7664-93-9 Sulfuric Acid

Section 313 (Specific toxic chemical listings):

7733-02-0 zinc sulphate (anhydrous)

7664-93-9 Sulfuric Acid

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

Carcinogenic categories

· EPA (Environmental Protection Agency)

7733-02-0 zinc sulphate (anhydrous)

D, I, II

· TLV (Threshold Limit Value established by ACGIH)

7664-93-9 Sulfuric Acid

(Contd. on page 9)

A2



Printing date 08/01/2014 Reviewed on 09/29/2020

Trade name: Meras 3442

(Contd. of page 8)

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Product related hazard informations:

The product has been classified and marked in accordance with directives on hazardous materials.

· Hazard symbols:



Corrosive

· Hazard-determining components of labeling:

Hydroxyethylidene Diphosphonic Acid Sulfuric Acid zinc sulphate (anhydrous)

· Risk phrases:

Causes severe burns. Irritating to respiratory system.

Safety phrases:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Wear suitable protective clothing, gloves and eye/face protection.

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

This material and its container must be disposed of as hazardous waste.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing MSDS: Environment protection department.
- · Contact:

SDS Coordinator

Meras Engineering Water Solutions

· (866) 899-9762

info@meras.com

· Date of preparation / last revision 09/29/2020 / -

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Carc. 1A: Carcinogenicity, Hazard Category 1A