

Printing date 08/20/2014

Reviewed on 08/19/2014

1 Identification

- **Product identifier**
- **Trade name:** Meras 5212
- **Product Use:** Prevention of Scale, Corrosion and Foaming in Steam Boilers
- **Article number:** 5212-4
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Meras Engineering, Inc.
601 Van Ness Ave. E3-725
San Francisco, CA 94102
USA
- **Information department:**
SDS Coordinator
(415) 240-4918 or (866) 899-9762
orders@meras.com
- **Emergency telephone number:** ChemTrec (800) 424-9300 (14228)

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2B H320 Causes eye irritation.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



Irritant

Irritating to eyes and skin.

- **Information concerning particular hazards for human and environment:**
The product has to be labeled due to the calculation procedure of international guidelines.
- **Classification system:**
The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

- **Label elements**

- **Labelling according to EU guidelines:**

The product has been classified and marked in accordance with directives on hazardous materials.

- **Code letter and hazard designation of product:**



Irritant

- **Hazard-determining components of labeling:**

Sodium Hydroxide

- **Risk phrases:**

Irritating to eyes and skin.

- **Safety phrases:**

When using do not eat or drink.

(Contd. on page 2)

USA

Printing date 08/20/2014

Reviewed on 08/19/2014

Trade name: Meras 5212

(Contd. of page 1)

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Wear suitable gloves and eye/face protection.

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

 • **Classification system:**

 • **NFPA ratings (scale 0 - 4)**

 Health = 1
 Fire = 0
 Reactivity = 0

 • **HMIS-ratings (scale 0 - 4)**

 Health = 1
 Fire = 0
 Reactivity = 0

 • **Personal Protection B**

 • **Other hazards**

 • **Results of PBT and vPvB assessment**

 • **PBT:** Not applicable.

 • **vPvB:** Not applicable.

3 Composition/information on ingredients

 • **Chemical characterization: Mixtures**

 • **Description:** Mixture of the substances listed below with nonhazardous additions.

 • **Dangerous components:**

1310-73-2	Sodium Hydroxide	2.44%
-----------	------------------	-------

4 First-aid measures

 • **Description of first aid measures**

 • **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.

 • **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

 • **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

 • **After swallowing:** If symptoms persist consult doctor.

 • **Most important symptoms and effects, both acute and delayed**

No further relevant information available.

 • **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire-fighting measures

 • **Extinguishing media**

 • **Suitable extinguishing agents:**

 CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

 • **Special hazards arising from the substance or mixture** No further relevant information available.

(Contd. on page 3)

Printing date 08/20/2014

Reviewed on 08/19/2014

Trade name: Meras 5212

(Contd. of page 2)

- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 Ensure adequate ventilation.
- **Reference to other sections**
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling**
 Ensure good ventilation/exhaustion at the workplace.
 Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
 The recommended storage temperature is above 32F, preferably at room temperature (70F)
 Store closed containers in a cool, dry, well-ventilated area with acid-resistant floors. Keep out of direct sunlight and away from water, heat and incompatible materials.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

1310-73-2 Sodium Hydroxide

PEL	Long-term value: 2 mg/m ³
REL	Ceiling limit value: 2 mg/m ³
TLV	Ceiling limit value: 2 mg/m ³

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
 Keep away from foodstuffs, beverages and feed.
 Immediately remove all soiled and contaminated clothing.
 Wash hands before breaks and at the end of work.

(Contd. on page 4)

Trade name: Meras 5212

(Contd. of page 3)

Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:	Liquid
Color:	Clear, Amber
· Odor:	Amine-like
· Odor threshold:	Not determined.

· pH-value at 20 °C (68 °F):	<11
-------------------------------------	-----

· **Change in condition**

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.

· Flash point:	Not applicable.
-----------------------	-----------------

· Flammability (solid, gaseous):	Not applicable.
---	-----------------

· **Ignition temperature:**

Decomposition temperature:	Not determined.
-----------------------------------	-----------------

· Auto igniting:	Product is not selfigniting.
-------------------------	------------------------------

· Danger of explosion:	Product does not present an explosion hazard.
-------------------------------	---

(Contd. on page 5)

Printing date 08/20/2014

Reviewed on 08/19/2014

Trade name: Meras 5212

(Contd. of page 4)

- | | |
|---|--|
| · Explosion limits: | |
| Lower: | Not determined. |
| Upper: | Not determined. |
| · Vapor pressure: | Not determined. |
| · Density: | Not determined. |
| · Relative density | Not determined. |
| · Vapor density | Not determined. |
| · Evaporation rate | Not determined. |
| · Solubility in / Miscibility with Water: | Not miscible or difficult to mix. |
| · Partition coefficient (n-octanol/water): | Not determined. |
| · Viscosity: | |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |
| · Solvent content: | |
| Organic solvents: | 0.0 % |
| Solids content: | 5.4 % |
| · Other information | No further relevant information available. |

10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

1310-73-2 Sodium Hydroxide		
Oral	LD50	2000 mg/kg (rat)

- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

(Contd. on page 6)

USA

Printing date 08/20/2014

Reviewed on 08/19/2014

Trade name: Meras 5212

(Contd. of page 6)

- | | |
|--|--|
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · Transport/Additional information: | |
| · DOT | |
| · Quantity limitations | On passenger aircraft/rail: -
On cargo aircraft only: - |
| · UN "Model Regulation": | - |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

- **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

- **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

- **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

- **Proposition 65**

- **Chemicals known to cause cancer:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

- **Carcinogenic categories**

- **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

- **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

- **Product related hazard informations:**

The product has been classified and marked in accordance with directives on hazardous materials.

(Contd. on page 8)

Printing date 08/20/2014

Reviewed on 08/19/2014

Trade name: Meras 5212

(Contd. of page 7)

· Hazard symbols:

Irritant

· Hazard-determining components of labeling:

Sodium Hydroxide

· Risk phrases:

Irritating to eyes and skin.

· Safety phrases:

When using do not eat or drink.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Wear suitable gloves and eye/face protection.

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.**16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing MSDS: Environment protection department.**· Contact:**

SDS Coordinator

Meras Engineering, Inc.

(415) 240-4918 or (866) 899-9762

orders@meras.com

· Date of preparation / last revision 08/20/2014 / -**· Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B