

Reviewed on 02/02/2015 Printing date 04/18/2016

### 1 Identification

· Product identifier

· Trade name: Meras Irrigation Line Kleener · Product Use: Irrigation System Remediation

· Article number: MILK

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Meras Engineering, Inc. 601 Van Ness Ave. E3-725 San Francisco, CA 94102 USA

Information department:

**SDS** Coordinator (415) 240-4918 or (866) 899-9762 orders@meras.com

· Emergency telephone number: ChemTrec (800) 424-9300 (14228)

### 2 Hazard(s) identification

Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapour. Org. Perox. EF H242 Heating may cause a fire.



GHS03 Flame over circle

H271 May cause fire or explosion; strong oxidizer. Ox. Liq. 1



**GHS05 Corrosion** 

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Corrosive

Causes severe burns.



**X** Harmful

Harmful by inhalation, in contact with skin and if swallowed.



Irritant

Irritating to respiratory system.

(Contd. on page 2)



Printing date 04/18/2016 Reviewed on 02/02/2015

Trade name: Meras Irrigation Line Kleener

(Contd. of page 1)



Oxidizing

May cause fire. Contact with combustible material may cause fire.

Flammable.

#### · Information concerning particular hazards for human and environment:

The product has to be labeled due to the calculation procedure of international guidelines.

#### · Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

#### · Label elements

#### Labelling according to EU guidelines:

The product has been classified and marked in accordance with directives on hazardous materials.

Code letter and hazard designation of product:





Corrosive Oxidizing

### · Hazard-determining components of labeling:

Peroxyacetic Acid Hydrogen Peroxide Solution Acetic Acid

#### · Risk phrases:

May cause fire.

Contact with combustible material may cause fire.

Flammable.

Harmful by inhalation, in contact with skin and if swallowed.

Causes severe burns.

Irritating to respiratory system.

#### · Safety phrases:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Wear suitable protective clothing, gloves and eye/face protection.

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

This material and its container must be disposed of as hazardous waste.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3 Fire = 1 Reactivity = 1

The substance possesses oxidizing properties.

· HMIS-ratings (scale 0 - 4)



Health = 3 Fire = 1 Reactivity = 1

· Personal Protection C

(Contd. on page 3)



Printing date 04/18/2016 Reviewed on 02/02/2015

Trade name: Meras Irrigation Line Kleener

(Contd. of page 2)

- · Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:					
64-19-7	Acetic Acid	22.216%			
7722-84-1	Hydrogen Peroxide Solution	21.982%			
79-21-0	Peroxyacetic Acid	15.576%			

### 4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- · Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

## 6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

(Contd. on page 4)



Printing date 04/18/2016 Reviewed on 02/02/2015

Trade name: Meras Irrigation Line Kleener

(Contd. of page 3)

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

The recommended storage temperature is above 32F, preferably at room temperature (70F)

Store closed containers in a cool, dry, well-ventilated area with acid-resistant floors. Keep out of direct sunlight and away from water, heat and incompatible materials.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

TLV Long-term value: 1.4 mg/m³, 1 ppm

- · Additional information about design of technical systems: No further data; see item 7.
- $\cdot \ \textbf{Control parameters}$

COIII	noi parameters						
· Com	· Components with limit values that require monitoring at the workplace:						
64-1	9-7 Acetic Acid						
PEL	Long-term value: 25 mg/m³, 10 ppm						
REL	Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm						
TLV	Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm						
7722	-84-1 Hydrogen Peroxide Solution						
PEL	Long-term value: 1.4 mg/m³, 1 ppm						
REL	Long-term value: 1.4 mg/m <sup>3</sup> , 1 ppm						

(Contd. on page 5)



Printing date 04/18/2016 Reviewed on 02/02/2015

Trade name: Meras Irrigation Line Kleener

(Contd. of page 4)

#### 79-21-0 Peroxyacetic Acid

TLV | Short-term value: 1.24\* mg/m³, 0.4\* ppm

\*inhalable fraction + vapor

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

#### · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

### 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid
Color: Colorless
Odor: Pungent

Odor threshold: Not determined.

· pH-value at 20 °C (68 °F): < 1

(Contd. on page 6)



Printing date 04/18/2016 Reviewed on 02/02/2015

**Trade name: Meras Irrigation Line Kleener** 

	(Contd. of page \$
<ul> <li>Change in condition</li> <li>Melting point/Melting range:</li> <li>Boiling point/Boiling range:</li> </ul>	Undetermined. Undetermined.
· Flash point:	40 °C (104 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	485 °C (905 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air vapor mixtures are possible.
· Explosion limits: Lower: Upper:	4.0 Vol % 17.0 Vol %
· Vapor pressure at 20 °C (68 °F):	16 hPa (12 mm Hg)
<ul> <li>Density at 20 °C (68 °F):</li> <li>Relative density</li> <li>Vapor density</li> <li>Evaporation rate</li> </ul>	1.13476 g/cm³ (9.47 lbs/gal) Not determined. Not determined. Not determined.
· Solubility in / Miscibility with Water:	Fully miscible.
· Partition coefficient (n-octanol/wat	er): Not determined.
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
Solvent content:     Organic solvents:     VOC content:	22.2 % 22.2 % 252.1 g/l / 2.10 lb/gl
· Other information	No further relevant information available.

## 10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

10 4



Printing date 04/18/2016 Reviewed on 02/02/2015

**Trade name: Meras Irrigation Line Kleener** 

(Contd. of page 6)

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:						
64-19-7	64-19-7 Acetic Acid					
Oral	LD50	3310 mg/kg (rat)				
Dermal	LD50	1060 mg/kg (rabbit)				

- · Primary irritant effect:
- · on the skin: Strong caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
7722-84-1 Hydrogen Peroxide Solution	3
· NTP (National Toxicology Program)	
None of the ingredients is listed.	
· OSHA-Ca (Occupational Safety & Health Administration)	

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 8)



Printing date 04/18/2016 Reviewed on 02/02/2015

Trade name: Meras Irrigation Line Kleener

• Other adverse effects No further relevant information available.

(Contd. of page 7)

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- $\cdot$  **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

1	4	Τ	ra	ns	p	Ol	rt	in	f	0	r	m	a	t	ic	r	١
---	---	---	----	----	---	----	----	----	---	---	---	---	---	---	----	---	---

· UN-Number	
· DOT. IMDG. IATA	UN3109

· UN proper shipping name

DOT
 IMDG, IATA
 Organic peroxide type F, liquid (Peroxyacetic Acid)
 ORGANIC PEROXIDE TYPE F, LIQUID (Peroxyacetic Acid)

ORGANIC PEROXIDE TYPE F, LIQUID (Peroxyacetic Acid)

- · Transport hazard class(es)
- · DOT





Class
 5.2 Organic peroxides

· **Label** 5.2+8

· IMDG, IATA





· Class 5.2 Organic peroxides

· Label 5.2+8

· Packing group

· DOT, IMDG, IATA

· Environmental hazards:

· Marine pollutant: No

Special precautions for user
 Warning: Organic peroxides

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

(Contd. on page 9)



Printing date 04/18/2016 Reviewed on 02/02/2015

Trade name: Meras Irrigation Line Kleener

(Contd. of page 8)

· Transport/Additional information:

· DOT

• Quantity limitations On passenger aircraft/rail: 10 L

On cargo aircraft only: 25 L

• UN "Model Regulation": UN3109, Organic peroxide type F, liquid (Peroxyacetic

Acid), 5.2 (8), II

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

7722-84-1 Hydrogen Peroxide Solution

79-21-0 Peroxyacetic Acid

· Section 313 (Specific toxic chemical listings):

79-21-0 Peroxyacetic Acid

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

7722-84-1 Hydrogen Peroxide Solution

A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Product related hazard informations:

The product has been classified and marked in accordance with directives on hazardous materials.

· Hazard symbols:





Corrosive Oxidizing



Printing date 04/18/2016 Reviewed on 02/02/2015

Trade name: Meras Irrigation Line Kleener

(Contd. of page 9)

#### · Hazard-determining components of labeling:

Peroxyacetic Acid Hydrogen Peroxide Solution Acetic Acid

#### · Risk phrases:

May cause fire.

Contact with combustible material may cause fire.

Flammable.

Harmful by inhalation, in contact with skin and if swallowed.

Causes severe burns.

Irritating to respiratory system.

#### Safety phrases:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Wear suitable protective clothing, gloves and eye/face protection.

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

This material and its container must be disposed of as hazardous waste.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

**SDS** Coordinator

Meras Engineering, Inc.

(415) 240-4918 or (866) 899-9762

orders@meras.com

- Date of preparation / last revision 04/18/2016 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Flam. Liq. 3: Flammable liquids, Hazard Category 3 Ox. Liq. 1: Oxidising Liquids, Hazard Category 1 Org. Perox. EF: Organic Peroxides, Types E, F

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A
Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1