

FOR ANY EMERGENCY, 24 HOURS / 7 DAYS, CALL:	1-800-654-6911 (OUTSIDE USA: 1-423-780-2970)
FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC®:	1-800-424-9300 (OUTSIDE USA: 1-703-527-3887)
FOR ALL SDS QUESTIONS & REQUESTS, CALL:	1-800-511-MSDS (OUTSIDE USA: 1-423-780-2347)

PRODUCT NAME: **AB PHYCOMYCIN SCP**

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

<b>Supplier</b> Applied Biochemists (WI) W175 N11163 Stonewood Drive , Suite 234 Germantown, WI, 53022 USA	REVISION DATE: 05/26/2015 SUPERCEDES: 10/29/2012
Telephone: +12622554449 Telefax: +12622554449 Web: www.appliedbiochemists.com	MSDS Number: 000000024551 SYNONYMS: CHEMICAL FAMILY: None DESCRIPTION / USE: None established FORMULA: None established




**Manufacturer**  
Advantis Technologies  
1200 Bluegrass Lakes Parkway  
Alpharetta, GA 30004  
United States of America

## SECTION 2. HAZARDS IDENTIFICATION

### GHS Classification

Oxidizing solids	:	Category 3
Corrosive to metals	:	Category 1
Acute toxicity (Oral)	:	Category 4
Skin irritation	:	Category 2
Eye irritation	:	Category 2A

### GHS Label element

Hazard pictograms	:	  
Signal word	:	Warning
Hazard statements	:	H272 May intensify fire; oxidiser. H290 May be corrosive to metals. H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation.
Precautionary statements	:	<b>Prevention:</b> P210 Keep away from heat. P220 Keep/Store away from clothing/ combustible materials. P221 Take any precaution to avoid mixing with combustibles. P234 Keep only in original container. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves/ eye protection/ face protection. <b>Response:</b> P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth. P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332 + P313 If skin irritation occurs: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. P390 Absorb spillage to prevent material damage. <b>Storage:</b> P406 Store in corrosive resistant stainless steel container with a resistant inner liner. <b>Disposal:</b> P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

<u>CAS OR CHEMICAL NAME</u>	<u>CAS #</u>	<u>% RANGE</u>
Sodium Percarbonate	15630-89-4	80 - 90

Sodium carbonate	497-19-8	10 - 16
sodium silicate	1344-09-8	1 - 3

---

## SECTION 4. FIRST AID MEASURES

General Advice:	Call a poison control center or doctor for treatment advice. For 24-hour emergency medical assistance, call Arch Chemical Emergency Action Network at 1-800-654-6911. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
Inhalation:	IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
Skin Contact:	IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Eye Contact:	IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Ingestion:	IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

---

## SECTION 5. FIREFIGHTING MEASURES

Flammability Summary (OSHA): Product is not known to be flammable, combustible, pyrophoric or explosive.

### Flammable Properties

Fire / Explosion Hazards:	May intensify fire; oxidiser.
Extinguishing Media:	Water spray
Fire Fighting Instructions:	Use water spray to cool unopened containers. In case of fire, use normal fire-fighting equipment and the personal protective equipment recommended in Section 8 to include a NIOSH approved self-contained breathing apparatus.

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Protection for Emergency Situations: Use the personal protective equipment recommended in Section 8 and a NIOSH approved self-contained breathing apparatus.

#### Spill Mitigation Procedures

Air Release: Keep people away from and upwind of spill/leak.  
 Water Release: If the product contaminates rivers and lakes or drains inform respective authorities.  
 Land Release: Sweep up and shovel into suitable containers for disposal. Avoid creating dust.  
 Additional Spill Information : Prevent further leakage or spillage if safe to do so. Use personal protective equipment as required. Evacuate personnel to safe areas.

## SECTION 7. HANDLING AND STORAGE

Handling: Do not take internally. Avoid contact with skin, eyes and clothing. If in eyes or on skin, rinse well with water. Avoid breathing dust.  
 Storage: Store in a cool dry ventilated location, away from sources of ignition or other incompatible conditions and chemicals. Keep container(s) closed.  
 Incompatible Materials for Storage: Refer to Section 10, "Incompatible Materials."

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation: Local exhaust ventilation is recommended if vapors, mists or aerosols are generated. Otherwise, use general exhaust ventilation. No exposure limits exist for the constituents of this product.

#### Protective Equipment for Routine Use of Product

Respiratory Protection : Respiratory protection not normally needed., If vapors, mists or aerosols are generated, wear a NIOSH approved respirator.  
 Skin Protection : Avoid contact with skin. Impervious gloves  
 Eye Protection: Chemical resistant goggles must be worn.  
 Protective Clothing Type: impervious clothing  
 General Protective Measures: Ensure that eyewash stations and safety showers are close to the workstation location.

#### **Components with workplace control parameters**

no data available

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: solid  
 Form: No data.  
 Color: No data.  
 Odor: No data.  
 Molecular Weight: None established

pH :	10.4 - 10.6 ( ) 10 g/l (as aqueous solution)
Boiling Point:	Not applicable
Melting point/freezing point	no data available
Bulk Density:	( ) no data available
Vapor Pressure:	Not applicable
Vapor Density:	Not applicable
Viscosity:	Not applicable
Solubility in Water:	140 g/l 75 °F (24 °C)
Partition coefficient n-octanol/water:	No data
Evaporation Rate:	Not applicable
Oxidizing:	None established
Volatiles, % by vol.:	no data available
VOC Content	This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCOMI Intermediate or Final VOC's (40 CFR 60.489). This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.
HAP Content	No data

## SECTION 10. STABILITY AND REACTIVITY

Stability and Reactivity Summary:	Stable under normal conditions.
Conditions to Avoid:	Heat, Exposure to moist air or water
Chemical Incompatibility:	Water, Acids, Bases, Reducing agents, Organic materials, Flammable materials, metal salts
Hazardous Decomposition Products:	Oxygen, Steam and heat
Decomposition Temperature:	No data

## SECTION 11. TOXICOLOGICAL INFORMATION

### Component Animal Toxicology

#### Oral LD50 value:

Sodium Percarbonate	LD50 = 2,400 mg/kg	Rat
	LD50 = 1,034 mg/kg	Rat
Sodium carbonate	LD50 = 4,090 mg/kg	Rat
sodium silicate	LD50 = 1,960 mg/kg	Rat

### Component Animal Toxicology

#### Dermal LD50 value:

Sodium Percarbonate	LD50 > 2,000 mg/kg	Rabbit
Sodium carbonate	LD50 Believed to be > 2,000 mg/kg	Rabbit

sodium silicate LD50 > 4,640 mg/kg Rabbit

Component Animal Toxicology

Inhalation LC50 value:

Sodium Percarbonate No data

Sodium carbonate LC50 1 h = 4.6 mg/l Rat

sodium silicate no data available

Product Animal Toxicity

Oral LD50 value: Believed to be approximately 1,158 mg/kg

Dermal LD50 value: No data.

Inhalation LC50

value:

Skin Irritation: Moderate skin irritant

Eye Irritation: Severe eye irritant

Skin Sensitization: Not believed to be sensitising to skin.

Sodium Percarbonate This material tested negative for skin sensitization in animals.

Subchronic / Chronic Toxicity: There are no known or reported effects from chronic exposure.

Sodium carbonate Male rats were exposed to an aerosol of 2% aqueous solution of this chemical, 4 hr.day, 5 days/week for 3-1/2 months. No effect was observed at a concentration of 10 or 20 mg/cubic meter. At 70 mg/cubic meter weight gain was decreased and the lungs showed thickening of the intra-alveolar walls, hyperemia, and lymphoid infiltration., Repeated or prolonged skin contact with this product may cause dermatitis and blistering.

Reproductive and Developmental Toxicity: Not known or reported to cause reproductive or developmental toxicity.

Sodium carbonate This chemical has been tested in laboratory animals and no evidence of teratogenicity was seen.

Mutagenicity: Not known or reported to be mutagenic.

Sodium carbonate This product was determined to be non-mutagenic in the Ames assay. It was also shown to be non-clastogenic in the chromosomal aberration test.

Carcinogenicity: This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA.

## SECTION 12. ECOLOGICAL INFORMATION

Overview: This material is not expected to be harmful to aquatic life., Based on the physical properties of this product, significant environmental persistence and bioaccumulation would not be expected.

### Ecological Toxicity Values for: Sodium carbonate

Pimephales promelas (fathead minnow)	- (nominal, static). 96 h LC50 < 850 mg/l
Bluegill	- (nominal, static). 96 h LC50 = 320 mg/l
Mosquito fish	- (nominal, static). 96 h LC50 = 740 mg/l
Daphnia magna,	- (nominal, static). 48 h LC50= 265 mg/l
Ceriodaphnia dubia	- (nominal) 48 h EC50= 199.82 mg/l
Navicula seminulum (diatom)	- (nominal, static). 96 h EC50 = 242 mg/l

### Ecological Toxicity Values for: sodium silicate

Gambusia affinis (Mosquito fish)	- static test 96 h LC50 = 1,800 - 2,320 mg/l
Lepomis macrochirus (Bluegill sunfish)	- 96 h LC50 = 301 - 478 mg/l
Fish, fresh water (brachydaniorerio)	- semi-static test 96 h LC50 = 3,185 mg/l
Daphnia magna (Water flea)	- static test 48 h LC50= 494 mg/l
Ceriodaphnia dubia	- 48 h EC50= 33.53 mg/l

## SECTION 13. DISPOSAL CONSIDERATIONS

**CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.**

Waste Disposal Summary : If this product becomes a waste, it meets the criteria of a hazardous waste as defined under 40 CFR 261 and would have the following EPA hazardous waste number: D001.

Disposal Methods : As a nonhazardous liquid waste, it should be disposed of in accordance with local, state and federal regulations.

---

## SECTION 14. TRANSPORT INFORMATION

### DOT

UN number : 3378  
Description of the goods : Sodium carbonate peroxyhydrate  
Class : 5.1  
Packing group : III  
Labels : 5.1  
Emergency Response : 140  
Guidebook Number

### IATA

UN number : 3378  
Description of the goods : Sodium carbonate peroxyhydrate  
Class : 5.1  
Packing group : III  
Labels : 5.1  
Packing instruction (cargo aircraft) : 563  
Packing instruction (passenger aircraft) : 559  
Packing instruction (passenger aircraft) : Y546

### IMDG-CODE

UN number : 3378  
Description of the goods : SODIUM CARBONATE PEROXYHYDRATE  
Class : 5.1  
Packing group : III  
Labels : 5.1  
EmS Number 1 : F-A  
EmS Number 2 : S-Q

---

## SECTION 15. REGULATORY INFORMATION

**This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals.**

Signal word : DANGER!  
Hazard statements : Harmful if swallowed.  
Harmful if inhaled.  
Corrosive. Causes skin burns.  
Corrosive. Causes irreversible eye damage.  
Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.



**EPCRA - Emergency Planning and Community Right-to-Know Act****SARA 302**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**Clean Air Act**

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

**Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

**US State Regulations****Massachusetts Right To Know**

No components are subject to the Massachusetts Right to Know Act.

**Pennsylvania Right To Know**

Sodium carbonate	497-19-8
------------------	----------

**New Jersey Right To Know**

Sodium carbonate	497-19-8
Silicic acid, sodium salt	1344-09-8

**California Prop 65**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

**The components of this product are reported in the following inventories:**

TSCA : The components of this product are listed on the TSCA Inventory of Existing Chemical Substances.

**Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

---

**SECTION 16. OTHER INFORMATION**

SECTIONS REVISED: 3  
Major References : Available upon request.

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT. .